

## บรรณานุกรม

### ภาษาไทย

- กรณีการ์ ตฤณวุฒิพงษ์. (2549) พฤติกรรมเสี่ยงการเป็นโรคเบาหวานชนิดที่ 2 ของประชาชน  
**กลุ่มเสี่ยง ตำบล โลกสี อำเภอเมือง จังหวัดขอนแก่น.** วิทยานิพนธ์ ส.ม. (สาขาวิทยาศาสตร์  
 สุขาภิบาล) ขอนแก่น : บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.
- กระทรวงสาธารณสุข กรมสุขภาพจิต. (2549) “แบบประเมินความเครียด” [ออนไลน์]  
<http://Suicide.jvkk.go.th> (23 มีนาคม 2552)
- กัณหา เกียรติสุด และคณะ. (2548) การพัฒนาแบบประเมินทางพฤติกรรมในการระบุความเสี่ยงต่อ  
**ภาวะเบาหวาน.** ขอนแก่น : สำนักงานป้องกันควบคุมโรคที่ 6 จังหวัดขอนแก่น กรมควบคุม  
 โรค กระทรวงสาธารณสุข.
- กัณทิมา รัชฎาวรรณพงษ์. (2550) การพัฒนาแบบวัดคุณธรรมสัปปุริสธรรมสำหรับนักเรียนชั้น  
**มัธยมศึกษาปีที่ 4.** วิทยานิพนธ์ กศ.ด. (สาขาการวัดผลและวิจัยการศึกษา) กรุงเทพมหานคร  
 : บัณฑิตวิทยาลัย มหาวิทยาลัยศรีนครินทรวิโรฒ.
- คณะกรรมการอำนวยการจัดทำแผนพัฒนาสุขภาพแห่งชาติ. (2549) แผนการพัฒนาสุขภาพแห่งชาติ  
**ในช่วงแผนพัฒนาเศรษฐกิจและสังคมแห่งชาติ ฉบับที่ 10 (พ.ศ. 2550-2554).** นนทบุรี :  
 กระทรวงสาธารณสุข.
- ชวนพิศ วงศ์สามัญ และคณะ. (2547) การพัฒนาแบบประเมินความเสี่ยงต่อการเกิดแผลกดทับ.  
 ขอนแก่น : มหาวิทยาลัยขอนแก่น.
- ณัฐฉิณี จารุชัยวิวัฒน์. (2546) การพัฒนาแบบประเมินภาวะเสี่ยงของการเกิดแผลที่เท้าในผู้ป่วย  
**เบาหวานชนิดที่ 2.** วิทยานิพนธ์ พย.ม. (สาขาการพยาบาลผู้ใหญ่) ขอนแก่น : บัณฑิต-  
 วิทยาลัย มหาวิทยาลัยขอนแก่น.
- ทีปทัศน์ ชุมหวัดดีสกุล. (2549) การรักษาเบาหวานด้วยธรรมชาติบำบัด. กรุงเทพมหานคร :  
 งานถ่ายทอดเทคโนโลยี กองแพทย์ทางเลือก.
- เทพ หิมะทองคำ และคณะ. (2547) การทบทวนองค์ความรู้เบาหวานและน้ำตาลในเลือดสูง.  
 กรุงเทพมหานคร : โรงพิมพ์องค์การสงเคราะห์ทหารผ่านศึก.
- ธนา นิลชัยโกวิทย์,จักรกฤษณ์ สุขยิ่ง และ ชัชวาลย์ ศิลปะกิจ. (มกราคม-มีนาคม 2539) “ความ  
 เชื่อถือได้และความแม่นยำของ General Health Questionnaire ฉบับภาษาไทย.  
 วารสารสมาคมจิตแพทย์แห่งประเทศไทย ; 41 (1) : 1-17.

### บรรณานุกรม (ต่อ)

- ชิตี สันับบุญ. (2549) การดูแลรักษาเบาหวานแบบองค์รวม : **Holistic Diabetes Care**. กรุงเทพมหานคร : จุฬาลงกรณ์มหาวิทยาลัย.
- บุญใจ ศรีสถิตนรากุล. (2547) ระเบียบวิธีการวิจัยทางการแพทย์ศาสตร์. พิมพ์ครั้งที่ 3. กรุงเทพมหานคร : ยูเออนด์ ไอ อินเตอร์มีเดีย.
- ประกาย จิโรจน์กุล. (2548) การวิจัยทางการแพทย์ : แนวคิด หลักการ และวิธีปฏิบัติ. นนทบุรี : โครงการสวัสดิการวิชาการ สถาบันพระบรมราชชนก.
- ปริญญากร บุญประเสริฐ และคณะ. (2548) รูปแบบการปฏิบัติการให้บริการลดความเสี่ยงต่อภาวะเบาหวานของผู้มีภาวะเสี่ยงโดยศูนย์สุขภาพชุมชน จังหวัดพระนครศรีอยุธยา. นนทบุรี : สำนักงานป้องกันควบคุมโรคที่ 1.
- พิสนุ ฟองศรี. (2552) การสร้างและพัฒนาเครื่องมือวิจัย. กรุงเทพมหานคร : ด้านสุขภาพการพิมพ์. รายงานการประชุมเชิงปฏิบัติการแผนเบาหวานระดับชาติ วันที่ 3 กรกฎาคม 2550. (ม.ป.ป.)
- รายงานผลการสำรวจพฤติกรรมเสี่ยงโรคไม่ติดต่อและบาดเจ็บ พ.ศ. 2547. นนทบุรี : สำนักโรคไม่ติดต่อ กรมควบคุมโรค กระทรวงสาธารณสุข.
- รายงานการเฝ้าระวังโรคเรื้อรัง พ.ศ. 2549. นนทบุรี : สำนักโรคไม่ติดต่อ กรมควบคุมโรค กระทรวงสาธารณสุข.
- เรืองศักดิ์ ศิริผล. (2542) การออกกำลังกายกับการควบคุมโรคความดันโลหิตสูงโรคเบาหวานโรคหัวใจขาดเลือด : การทบทวนองค์ความรู้กับการดูแลสุขภาพในชีวิตประจำวัน. กรุงเทพมหานคร : โรงพิมพ์ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย.
- วนิดา คุรงค์ฤทธิชัย. (2549) เอกสารประกอบการสอนวิชาการพยาบาลเวชปฏิบัติชุมชน 2. สมุทรปราการ : มหาวิทยาลัยหัวเฉียวเฉลิมพระเกียรติ.
- วรรณิ นิธิยานันท์. (2551) แนวทางเวชปฏิบัติสำหรับโรคเบาหวาน พ.ศ. 2551. กรุงเทพมหานคร : สมาคมโรคเบาหวานแห่งประเทศไทย ในพระราชูปถัมภ์สมเด็จพระเทพรัตนราชสุดา-สยามบรมราชกุมารี, สมาคมโรคต่อมไร้ท่อแห่งประเทศไทย, สำนักงานหลักประกันสุขภาพแห่งชาติ.
- วรรณิ นิธิยานันท์, สาธิต วรรณแสง และ ชัยชาญ ติโรจนวงศ์, บรรณธิการ. (2550) สถานการณ์โรคเบาหวานในประเทศไทย 2550. กรุงเทพมหานคร : สมาคมโรคเบาหวานแห่งประเทศไทย.

### บรรณานุกรม (ต่อ)

- วราภณ วงศ์ถาวรรัตน์ และ วิทยา ศรีดามา. (2543) “การวินิจฉัยและการแบ่งประเภทโรคเบาหวาน” ใน การดูแลรักษาผู้ป่วยเบาหวาน. วิทยา ศรีดามา, บรรณาธิการ. หน้า 1-14. พิมพ์ครั้งที่ 2. กรุงเทพมหานคร : ยูนิตี้ แพบลิเคชั่น.
- วิจิตร ศรีสุพรรณ. (2551) ข้อบังคับสภาการพยาบาล. นนทบุรี : โรงพิมพ์สภาการพยาบาล.
- วิชัย เอกพลากร. (2548) รายงานการศึกษาเรื่องการพัฒนาดัชนีความเสี่ยงต่อเบาหวาน. นนทบุรี : สถาบันวิจัยระบบสาธารณสุข
- \_\_\_\_\_ . (2549) รายงานการวิจัยการจัดลำดับความสำคัญการวิจัยด้านสุขภาพภาคกลาง. กรุงเทพมหานคร : สำนักงานคณะกรรมการวิจัยแห่งชาติ (วช.) สาขาวิทยาศาสตร์การแพทย์.
- วิฑูรย์ โล่สุนทร และคณะ. (2550) รายงานการศึกษาเรื่องระดับวิทยาของโรคเบาหวานในประเทศไทย ปัจจัยเสี่ยง และการตรวจคัดกรองในประเทศไทย. นนทบุรี : สถาบันวิจัยระบบสาธารณสุข.
- วิโรจน์ เข็มจรัสรังสี และ วิชัย เอกพลากร. (กรกฎาคม-สิงหาคม 2548) “Incidence and predictors of type 2 diabetes among professional and office workers in Bangkok , Thailand.” *จดหมายเหตุทางแพทย์*. 14 (4) หน้า 614-622.
- ศรีสุดา ลุนพุดิ. (2550) การพัฒนาการคัดกรองโรคเบาหวานของศูนย์สุขภาพชุมชน. วิทยานิพนธ์ ส.ม. (สาขาวิทยาศาสตร์สุขภาพ) ขอนแก่น : บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.
- ศุภวรรณ มโนสุนทร. (2542) การพยาบาลโรคเบาหวาน : การทบทวนองค์ความรู้ สถานการณ์และปัจจัยสนับสนุนในการดูแลตนเอง. นนทบุรี : กรมการแพทย์ กระทรวงสาธารณสุข.
- สมจิต หนูเจริญกุล. (2550) แนวคิดการปฏิบัติการพยาบาลขั้นสูง ในระบบสุขภาพตามนโยบายประกันสุขภาพถ้วนหน้า. พิมพ์ครั้งที่ 2. นนทบุรี : สภาการพยาบาล.
- สาธิต วรรณแสง และคณะ. (2550) สถานการณ์โรคเบาหวานในประเทศไทย 2550. กรุงเทพมหานคร : วิวัฒนาการพิมพ์.
- สารัช สุนทรโยธิน. (2543) “กลไกการเกิดโรคเบาหวานชนิดที่ 2” ใน การดูแลรักษาผู้ป่วยเบาหวาน. วิทยา ศรีดามา, บรรณาธิการ. หน้า 26-34. พิมพ์ครั้งที่ 2. กรุงเทพมหานคร : โรงพิมพ์ยูนิตี้ แพบลิเคชั่น.
- สุกิจ เข้มวงษ์. (2548) การพัฒนาแบบประเมินความเสี่ยงต่อโรคหัวใจและหลอดเลือด. นนทบุรี : เครือข่ายวิจัยสุขภาพ มูลนิธิสาธารณสุขแห่งชาติ สำนักงานกองทุนสนับสนุนการวิจัย.

**บรรณานุกรม (ต่อ)**

สุรจิต สุนทรธรรม, บรรณาธิการ. (2543) **แนวทางการตรวจและการสร้างเสริมสุขภาพสำหรับ**

**ประชาชนชาวไทย** : ฉบับพิมพ์พระชนม์ 72 พรรษามหาราชการ. กรุงเทพมหานคร :

โรงพยาบาลพระมงกุฎเกล้า.

สุวระา ลิ้มปีศาจ. (2548) **รูปแบบการส่งเสริมสุขภาพของกลุ่มเสี่ยงโรคเบาหวานและโรคความ**

**ดันโลหิตสูงโดยการมีส่วนร่วมของชุมชน**. วิทยานิพนธ์ ส.ม. (สาขาวิทยาศาสตร์สุขภาพ)

ขอนแก่น: บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.

โสมนัส ว่องไววุฒิกุลเดช. (2551) **เปรียบเทียบผลของโปรแกรมการเรียนรู้ด้วยกระบวนการกลุ่ม**

**และการให้ความรู้เป็นรายบุคคลต่อความรู้ พฤติกรรมการดูแลสุขภาพเท้าและสภาพเท้า**

**และสภาพเท้าของทหารที่เป็นเบาหวานชนิดที่ 2**. วิทยานิพนธ์ พย.ม. (การพยาบาลเวช

ปฏิบัติชุมชน) กรุงเทพมหานคร : บัณฑิตวิทยาลัย มหาวิทยาลัยหัวเฉียวเฉลิมพระเกียรติ.

หทัยรัตน์ ธิติศักดิ์. (2540) **การศึกษาพฤติกรรมสุขภาพของผู้หญิงโรคความดันโลหิตสูงใน**

**กรุงเทพมหานคร**. วิทยานิพนธ์ พย.ม. (สาขาการพยาบาลผู้ใหญ่) นครปฐม : บัณฑิต

วิทยาลัย มหาวิทยาลัยมหิดล.

### บรรณานุกรม (ต่อ)

#### ภาษาอังกฤษ

- Aekplakorn, W., et al. (April 2006) "A risk score for predicting incident Diabetes in the Thai Population" **Diabetes Care**. 29 (4) : 1872-1877.
- \_\_\_\_\_. (January 2003) "The prevalence and management of diabetes in Thai adults. The International Collaborative Study of Cardiovascular Disease in Asia" **Diabetes Care**. 26 (1) : 2758-2763.
- Agardh, E. E., et al. (October 2003) "Work stress and low sense of coherence is associated with type 2 diabetes in middle-aged Swedish women" **Diabetes Care** : 26 (3) 719-742.
- American Diabetis Association. (1993) "Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus" **Diabetes Care**. 48 (2) : 66-70.
- \_\_\_\_\_. (1997) "Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus" **Diabetes Care**. 39 (3) : 230-240.
- \_\_\_\_\_. (2002) "Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus" **Diabetes Care**. 26 (1) : 742.
- \_\_\_\_\_. (2004) "Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus" **Diabetes Care**. 18 (3) : 334-346.
- Ann, Intern. (2004) "Coffee Consumption and Risk for Type 2 Diabetes" **Med July**. 6 : 211-219.
- Baan, C. A., et al. (1999) "Performance of a predictive model to identify undiagnosed diabetes in a health care setting" **Diabetes care**. 22 : 213-219.
- Borch-Johnsen, K., et al. (2003) "Screening for Type 2 diabetes - should it be now?" **Diabetes Medicine**.
- Beland, C and Passos, J.et al. (Jan 1 , 1981) **Clinical nursing : pathophysiological and psychosocial approaches**.
- Benjasuratwong, S.J, et al. (1998) "Diabetes management in Thailand and the outcome" **J Royal Thai Army Medical**. 51 : 227 - 233.
- Bengtsson, C. et al. (1984) Do antihypertensive drugs precipitate diabetes : **Br Med J (Clin Res Ed.)** : 1495 – 1497.

### บรรณานุกรม (ต่อ)

- Bhuripanyo, K. et al. (1992) Abnormal glucose tolerance and Blood pressure in Khon Kaen. **J Med Assoc Thai.** 75 : 529 – 535.
- City Health Information. (March 2005) **The Journal of the American Medical Association** 24 (3) : 1874-1878.
- Colditz, G.A. et al. (1990) “A prospective study of obesity and risk of coronary heart disease in Women” **N Engl J Med.** 24 (8) : 1442-1446.
- Davidson, M.B. et al. (1999) “Relationship between Fasting plasma glucose and glycosylated hemoglobin : diagnostic criteria” **JAMA.** 22 (3) : 382-387.
- Devellis. (1991) “Describes the development of a measurement scale as an eight step process at this stage of the development it is probably better to be overinclusive” **Methodological Issues in Measuring Food.** 22 (6) : 21-31.
- Diabetes Prevention Research Group [DPR] (Jun 6 , 2002) “Reduction in the incidence of type 2 Diabetes with lifestyle” **N Engl J Med** ; 346 (23) : 1829 - 1830.
- Engelgau, M. M., Venkat Narayan, K. M., and Herman, W. H. (2000) “Screening for Type 2 Diabetes” **Diabetes Care.** 28 (2) : 2135-2150.
- European Diabetes Epidemiology Study Group DECODE study group on behalf of the EDESG. (1998) “New diagnostic criteria for diabetes Mellitus-will they change the phenotype of diabetes subject” **BMJ.** 19 (4) : 172-179.
- Foy, C.G. et al. (2005) “Smoking and incidence Of diabetes among U.S . adults . findings from the Insulin Resistance Atherosclerosis Study” **Diabetes Care.** 28 (10) : 2501.
- Frisch, R. E. et al. (1986) “Effect of difference in amount of exercise training on prevention” **Diabetes Care.** 20 (4) : 1101-1105.
- Glumer, C., et al. (2004) “Targeted screening for undiagnosed diabetes reduce the number of diagnostic test . Inter 99” **Diabetic Medicine.** 32 (6) : 35-42.
- GoodYear L. J. and Smith, R. J. (1994) Exercise and diabetes . In Kahn CR , Weir GC : **Joslin’s Diabetes Mellitus.** 13<sup>th</sup> ed. Lea & Febiger.
- Griffin ,S. J. et al. (2000) “Diabetes risk score : towards earlier detection of type 2 diabetes in General practice.” **Diabetes Metab Res Rev.** 16 (2) : 164-171.

### บรรณานุกรม (ต่อ)

- Griffin, P, Rodgers, M.D. (2004) “National institute of Diabetes and Digestive and kidney Diseases : 1 For type 2 diabetes . CDC Diabetes Cost-Effectiveness Study Group , Center for Diabetes Control and Prevention” **JAMA**. 72 (8) : 1503-1510.
- Helmrich, H.P. et al. (1991) “Physical activity and reduced occurrence of non-insulin-dependent diabetes mellitus” **N Eng J Med**. 19 (4) : 147-152.
- Jiamjararasrangi, W. and Aekplakorn W. (2005) “Incidence and predictors of type 2 diabetes among professional and office workers in Bangkok , Thailand” **J Med Assoc Thai**. 88 (1) : 1896.
- Kare, I. and Jens P. (September 11 , 2001) **Diabetes Care**. 24 (1) : 1513-1514.
- Kato, I. et al. (2003) “Insulin-medicated effects of alcohol intake on serum lipid levels in a general population: the Hisayama study” **J Clin Epidemiol**. 56 (1) : 196-204.
- Kaprio J, et al. (May 5 , 1993) “Can twin studies assess the genetic component in type 2 ( non - insulin dependent diabetes )” **Diabetologia Journal**. 36 (2) : 471-472.
- King H , Kriska A.M. Prevention of type II diabetes by physical training. “Epidemiological considerations and study methods” **J Clin Epidemiol**. 27 (3) : 670-695.
- Klatsky, A.L. et al. (1977) “Alcohol consumption and blood pressure-Kaiser-Permanente Multiphasic Health Examination Data” **N Engl J Med**. 29 (6) : 1194-1200.
- Last, J.M.(Ed). (2001) **A Dictionary of Epidemiology**. 4<sup>th</sup> ed. : Oxford University Press, Inc.
- Lindstrom, J. and Tuomilehto, J. (March 2003) **The diabetes risk score: a practical tool to predict type 2 diabetes risk**. Department of Epidemiology and Health Promotion, National Public Health Institute. Mar ; 26 (3) : 725-731
- Marshall, J. A., et al. (1994) “Dietary fat predicts conversion from impaired glucose” **Diabetes Care**. 17 (1) : 50-56.
- Neels, K. et al. (1962) “Diabetes mellitus a “thrifty” genotype rendered detrimental by “progress” **AM . J.HUM. Genet**. 14 (4) : 353-362.
- Hofer , T. P., Vijan , S. and Hayward , R. A. (2000) “Estimating the microvascular benefits of screening for Type 2 diabetes mellitus” **Int J Technol Asses Health Care**. 60 (6) : 455-460.

### บรรณานุกรม (ต่อ)

- Westernization. O’Dea K . (1991) “Insulin resistance and diabetes in Australian Aborigines .  
**Med J Aus.** 28 (1) : 258-264.
- Ohnishi, H. et al. (2006) “Incidence of type 2 Diabetes in individuals with central obesity in a rural Japanese population” **Diabetes Care.** 29 (5) : 1128-1129.
- Robert, A., et al. (2009) “No interaction of body mass Index and smoking on diabetes mellitus risk in elderly women” **Diabetes Care.** 29 (4) : 13-16.
- Rohfing, C. L., et al. (2000) “Use of GHb(HbA1)to screening for undiagnosed diabetes in the US Population” **Diabetes Care.** 77 (5) : 381-385.
- Stern , M. P., et al. (2002) “Identification of persons at high risk for type 2 diabetes Mellitus : do we need the oral glucose tolerance test ? ” **Ann Intern Med** : 13 : 575-581.
- Sullivan, P. W., et al. (2005) “Obesity , inactivity , and the Prevalence of diabetes and diabetes-related cardiovascular comorbidities in the U.S., 2000 – 2002” **Diabetes Care.** 28 (7) : 1599-1603.
- Swaddiwudhipong, W., et al. (1999) “Screening assessment Of persons 40-59 year of age in rural Thailand by a mobile health unit” **J Med Assoc Thai.** 82 (1): 131.
- United Kingdom Prospective Diabetes Study Group UKPDS. (1998) “Intensive blood glucose Control with sulfonylureas or insulin compare with conventional treat and risk of Complication in patients with Type 2 diabetes (UKPDS 33)” **Lancet.** 89 (1) : 10-13.
- Tuomilehto, M., et al. (May 3 , 2001) “Prevention of type 2 Diabetes Mellitus by changes in Lifestyle among Subjects with Impaired Glucose Tolerance” **The New England Journal of Medicine.** 344 : 1343 – 1350.
- Viseshakul, D. et al. (1979) “The prevalence of three Major risk factor of cardiovascular disease : (Glucose intolerance , hypertension , Hyperlipoproteinaemia) in a sample of Thai Social Class 1” **J Med Assoc Thai.** 62 : 116.
- Waltzetal, C., Strick, O., and Lenz, E. (2005) **Measurement in nursing and health research.** New York : Springer Publishing Company.
- Wannamethee, S. G., and Shaper, A. G. (1999) “Weight change and duration of overweight and obesity in the incidence of type 2 diabetes” **Diabetes Care.** 28 (1) : 235-279.



บรรณานุกรม (ต่อ)

- Wanee Nitiyanant. (2006) **“Diabetes Mellitus Diagnosis , Classification And Target of Management”** Bangkok : Department of Medicine Faculty of Medicine Siriraj Hospital .
- Wikipedia. (2007) “Obesity” [Online] Available : <http://en.wikipedia.org/wiki/Obesity>. (1st April 2007)
- Wong, T. Y., et al. (2006) “Diabetic Retinopathy in a multi-ethnic cohort in the United States” **Am J Ophthalmol.** 39 (3) : 230-240.
- World Health Organization. (1994) **Prevention of Diabetes Mellitus .** Geneva : World Health Organization.
- \_\_\_\_\_. (1998) **Definition Diagnosis and Classification of Diabetes Mellitus And its complication .** Geneva : World
- \_\_\_\_\_. (1999) **Definition Diagnosis and Classification of Diabetes Mellitus And its complication .** Geneva : World
- Yach, D., et al. (2006) “Epidemiologic and economic consequence Of the global epidemics of obesity and diabetes” **Nat Med.**, 12 , 64 . [Dol : 10 .1038 / nmol 64]