

CONTENTS

	Page
Abstract (Thai)	i
Abstract (English)	ii
Acknowledgements	iii
List of tables	v
List of figures	vi
Chapter I Introduction	
Background and signification of the research problem	1
Objectives	3
Hypothesis	3
Scope of the research	3
Expected benefits	3
Chapter II Literature review	4
Chapter III Experimental	11
Chapter IV Results and discussion	27
Chapter V Conclusion	37
References	39

LIST OF TABLES

	Page
Table	
3.1 Docking parameters for α -glucosidase.	25
3.2 The structures of α -glucosidase complexed with α -D-glucopyranose.	26
3.3 Autogrid parameters for α -glucosidase.	26
4.1 %Yield of the synthesized compounds.	28
4.2 The in vitro α -glucosidase inhibitory activity result of the 3-unsubstituted chromone derivatives.	30
4.3 The in vitro α -glucosidase inhibitory activity result of the 3-substituted chromone derivatives.	31
4.4 The binding energies of chromone derivatives docked with α -glucosidase.	36



LIST OF FIGURES

	Page
Figure	
1.1 General structure of flavonoids.	2
2.1 Starch digestion by α -amylases and α -glucosidases.	9
4.1 Synthesis of 3-unsubstituted chromone derivatives.	27
4.2 The log dose-response curve plotted between the logarithm of six concentrations and %inhibition of the 3-unsubstituted chromone derivatives (compounds 19-20 and 23-24).	32
4.3 The log dose-response curve plotted between the logarithm of six concentrations and %inhibition of the 3-substituted chromone derivatives (compounds 32-38, 40 and 42-45).	32
4.4 The potency ratio of chromone compounds compared with Acarbose.	35

